

# EnhanceLite® MR16

High output, MR16 LED Lamp



EnhanceLite® MR16

## Key Product Features

- High output MR16 LED lamp
- Excellent color rendering
- Exceptional light distribution
- Enhanced passive cooling system allows for reduced junction temperatures, extending the life of the lamp
- Environmentally Friendly – No Mercury, No Lead & RoHS Compliant
- Maintenance free - Long life operation
- Integrated high efficiency driver
- Complies with ANSI standard MR16 form factor
- No heat emitted in direction of light
- No UV or IR radiation
- 5 year warranty



LM79 Reports



Lighting Facts



In-Situ Temp. Test Data

## Specification Data

CCT (K)	Beam Angle	Power (W)	Lumens (lm)	CBCP (cd)	Efficacy (lm/W)	CRI	Voltage	Base Type	Life (hrs)	Weight	Dimmable	Model No.
3000K Warm White	27°	3.9	250	1,100	64	80	12 VAC	GU 5.3	50,000	2 oz (0.06 kg)	YES	LED-MR16-20-12WD-INF
		6.0	324	1,420	54							LED-MR16-35-12WD-INF
	35°	3.9	250	505	64							LED-MR16-20-12WD-IF
		6.0	324	680	54							LED-MR16-35-12WD-IF
4000K Cool White	27°	3.9	270	1,188	69	80	12 VAC	GU 5.3	50,000	2 oz (0.06 kg)	YES	LED-MR16-20-12CD-INF
		6.0	350	1,533	59							LED-MR16-35-12CD-INF
	35°	3.9	270	545	69							LED-MR16-20-12CD-IF
		6.0	350	735	59							LED-MR16-35-12CD-IF

LEDnovation lamp models are tested for photometric performance in accredited third-party labs according to IES LM-79 requirements, with most reports available online at [www.lednovation.com](http://www.lednovation.com)

DESIGNED AND MANUFACTURED IN NORTH AMERICA

## Notes

- Suitable for use in indoor environments
- Not to be used in enclosed fixtures
- Not to be used in enclosed insulated ceilings
- Not intended for use with emergency light fixtures or exit lights